

MEMORIE DELLA SOCIETÀ ASTRONOMICA ITALIANA

Vol.7 2005

5th Serbian Conference on spectral lines shapes in astrophysics

Vrsac, June 6-10, 2005

editors: L.Č.Popović and M.S.Dimitrijević

TABLE OF CONTENTS

| | |
|---|----|
| <i>index</i> | 3 |
| <i>Foreword</i> | 7 |
| <i>List of Participants</i> | 9 |
| Spectral line phenomena in extragalactic objects | |
| A. P. Lobanov <i>Radio Spectroscopy of Active Galactic Nuclei</i> | 12 |
| S. Ciroi, V. Botte, P. Rafanelli, F., Di Mille, A. Romano <i>The Hidden Nature of Narrow Line Seyfert 1 Galaxies</i> | 20 |
| E.T. Chatzichristou <i>Multi-Wavelength Surveys of Obscured AGN</i> | 26 |
| D. Ilic, E. Bon, L. C. Popovic <i>Kinematics of the BLR and NLR in AGN Mrk 817</i> | 30 |
| E. Bon <i>The Disk Contribution To The Shape of The Balmer Broad Emission Lines in AGNs</i> | 34 |
| F. Di Mille, P. Rafanelli, S. Ciroi, V. L. Afanasiev, S. N. Dodonov, A. V. Moiseev <i>"Spectrophotometric study of nearby Seyfert nuclei</i> | 38 |
| A. A. Smirnova, A. V. Moiseev, V. L. Afanasiev <i>Studying of some Seyfert galaxies by means of panoramic spectroscopy</i> | 40 |
| Ph. Prugniel,I. Chilingarian L. C. Popovic <i>The history and dynamics of the stellar population in the central kpc of active galaxies</i> | 42 |

| | |
|---|-----|
| A.V. Moiseev, V.L Afanasiev <i>Scanning Fabry-Perot interferometer in the extragalactic researches</i> | 44 |
| C. Abajas, E. Mediavilla, J.A. Munoz, L. C. Popovic <i>"Gravitational Microlensing Effects on the Broad Emission Lines of Quasars</i> | 48 |
| P. Jovanovic <i>Microlensing effect on Fe Kα line and X-ray continuum in the case of three gravitationally lensed quasars: MG J0414+0534, QSO 2237+0305 and H1413+117</i> | 56 |
| A.F. Zakharov, S.V. Repin <i>"Black Holes: Theory versus observations - Analysis of the Fe Kα and Precise Astrometrical Observations</i> | 60 |
| S.Samurovic <i>Detection of Dark Matter in Early-type Galaxies with X-ray Haloes using Absorption Spectral Lines</i> | 68 |
| S. Ninkovic <i>On the globular clusters of the Milky Way and the data obtainable from their spectra</i> | 72 |
| M. Krco, P.F. Goldsmith <i>HINSA as a Tool for Studying Dark Clouds and Star Formation</i> | 78 |
| Stellar and interstellar spectral lines | |
| I.J. Danziger <i>Line Profiles as Diagnostics in Supernova Envelopes</i> | 82 |
| E. Baron, P.H. Hauschildt <i>Overview of Supernova Modeling with PHOENIX</i> | 86 |
| M. Sachkov, T. Ryabchikova <i>Pulsations in the Atmospheres of Ap stars</i> | 93 |
| D. Shulyak, G. Valyavin, O. Kochukhov, S. Khan, V. Tsymbal <i>"Atmospheres of CP stars: magnetic field effects</i> | 99 |
| E. Danezis, D. Nikolaidis, E. Lyratzi, L. C. Popovic, M. S. Dimitrijevic, E.Theodossiou, A. Antoniou <i>A new modeling approach for DACs and SACs regions in the atmospheres of hot emission stars</i> | 107 |
| E. Lyratzi, E. Danezis, D. Nikolaidis, L. C. Popovic, M. S. Dimitrijevic, E. Theodossiou <i>"A new approach for the structure of Hα regions in 120 Be-type stars</i> | 114 |
| Z. Simic <i>Influence of impacts with charged particles on Cd I and F III spectral lines in stellar plasma</i> | 122 |

| | |
|--|-----|
| M. S. Dimitrijevic, T. Ryabchikova, L. C. Popovic, D. Shulyak, S. Khan "On the influence of Stark broadening of Cr I lines in the Cr-rich Ap star β CrB atmosphere | 126 |
| N. Gavrilovic, S. Jankov, P. Mathias, P. De Cat Investigation of rotational velocity of ε -Persei | 128 |
| D. Korcakova, J. Kubat Emergent Line Profiles From Rapidly Rotating Stars | 130 |
| N. Milovanovic The Stark Broadening Effect in Hot Star Atmospheres: Tl II | 132 |
| M. Zboril "Search for vertical helium abundance in He-rich star | 136 |
| P. Hausschildt, E. Baron "Cool Stellar Atmospheres with PHOENIX | 140 |
| G. Peach, D. F. T. Mullamphy, V. Venturi, I. B. Whittingham "Line shapes for the spectra of Brown Dwarfs | 147 |
| A. A. Mihajlov, Lj. M. Ignjatovic, M. S. Dimitrijevic "Processes of Atom - Atom ($n - n'$)-mixing Influence on Hydrogen Atom Rydberg States Populations in Stellar Atmospheres | 151 |
| D. Homeier Molecular Line Widths for Stellar Atmospheres | 158 |
| O. Atanackovic-Vukmanovic Solution of the NLTE line transfer problem by use of forth-and-back implicit Λ -iteration | 162 |
| N. Vitas Heights of formation of Mn I spectral lines broadened by hyperfine structure | 164 |
| G. Djurasevic, D. Dimitrov, B. Arbutina, B. Albayrak, S. O. Selam A study of close binary system EE Cet | 168 |
| A. Lalovic, I. Vince The reduction of eclipsing binary stars spectra observed at Rozhen Observatory | 170 |
| Spectral lines in laboratory plasma | |
| Z. Petrovic, V. Stojanovic Anomalous Doppler broadening of Hydrogen lines due to excitation by fast neutrals in low pressure Townsend discharges | 172 |
| A. R. Ellingboe Whistler Wave-Particle Interaction in a Temperate Ionosphere-like Plasma | 182 |

| | | |
|--|-----|--|
| V. Milosavljevic" | | |
| <i>Measured Stark shifts of Kr I line profiles in the 5s-5p and 5s-5p' transitions</i> | 192 | |
| M. D. Calzada | | |
| <i>Spectroscopy of the discharges created and maintained by a surface-wave</i> | 198 | |
| N. Ben Nesib | | |
| <i>Interaction potentials for spectral line shapes in plasma</i> | 209 | |
| H. Elabidi, N. Ben Nesib, M. S. Dimitrijevic | | |
| <i>"Electron impact broadening of multicharged neon spectral lines</i> | 213 | |
| W. F. Mahmoudi, N. Ben Nessib, M.S. Dimitrijevic, S. Sahal-Brechot | | |
| <i>"Contribution to the Semi-Classical and Modified Semi-Empirical Impact Stark Broadening Calculations of Singly Ionized Carbon and Oxygen Spectral Lines</i> | 217 | |
| N.M. Sakan, V.A. Sreckovic, A. A. Mihajlov | | |
| <i>The application of the cut-off Coulomb potential for the calculation of a continuous spectra of dense hydrogen plasma</i> | 221 | |
| M. Christova, V. Gagov, I. Koleva | | |
| <i>Calculations of the collisional widths of several Ar I spectral lines</i> | 225 | |
| R. Hamdi, N. Ben Nesib | | |
| <i>Electric dipole transition probabilities in Al IV and Al V ions</i> | 228 | |
| I. Santiago, M. Pineda, M.D. Calzada, M. Garcia | | |
| <i>Voigt a-damping parameter of the spectral lines emitted by a plasma flame and a plasma column generated by a microwave at atmospheric pressure</i> | 230 | |
| A. Sainz, M. D. Calzada, M. C. Garcia | | |
| <i>Gas temperature from line broadening in a neon microwave plasma at atmospheric pressure</i> | 232 | |
| A. Sainz, M. D. Calzada, M. C. Garcia | | |
| <i>Self-absorption effects in the equivalent width of the spectral lines in a neon microwave plasma at atmospheric pressure</i> | 234 | |
| Z. Simic, L. C. Popovic, M. S. Dimitrijevic, M. D. Dacic | | |
| <i>Stark broadening parameters for Cu III and Zn III spectral lines</i> | 236 | |
| M. Christova, M.S. Dimitrijevic, S. Sahal-Brechot | | |
| <i>Stark broadening of Ar I spectral lines emitted in surface wave sustained discharges</i> | 238 | |
| B. Zmerli, N. Ben Nesib, M. S. Dimitrijevic | | |
| <i>Temperature dependance of non hydrogenic atom-lines Stark widths</i> | 242 | |