

X-ray astronomy: towards the next 50 years!

Milan, October 1-5, 2012

editors: G. Trinchieri, R. Della Ceca, T. Maccacaro, L. Maraschi, G. Pareschi

TABLE OF CONTENTS

| | |
|--|-----|
| <i>Index</i> | 457 |
| <i>Foreword</i> | 464 |
| Session I: history and legacy of X-ray astronomy | |
| R. Giacconi <i>Considerations on X-ray astronomy</i> | 472 |
| Y. Tanaka <i>My early days in X-ray astronomy</i> | 485 |
| J. Trümper <i>The history of X-ray astronomy in Germany</i> | 493 |
| K. Pounds, M. Watson <i>UK contributions to the development of X-ray astronomy as a major international discipline</i> | 501 |
| J. Bleeker, F. Verbunt <i>From zone plate to microcalorimeter</i> | 512 |
| L. Piro <i>BeppoSAX: history and legacy</i> | 522 |
| Session II: stars, neutron stars, pulsars and supernova remnants | |
| J.H.M.M. Schmitt <i>50 (38) years of stellar X-ray astronomy</i> | 532 |
| P. Zhao, J. E. Grindley, J. Hong, M. Servillat, M. van den Berg <i>Cataclysmic variables discovered in the Chandra Multi-wavelength Plane Surveys</i> | 540 |
| S. Mereghetti, N. La Palombara, P. Esposito, A. Tiengo <i>A new class of X-ray sources: hot subdwarfs with compact companions</i> | 543 |

| | |
|---|-----|
| A. Odendaal, P. J. Meintjes, P. A. Charles, A. F. Rajoelimanana <i>X-ray periodicity in the supersoft X-ray sources CAL 83 and SMC 13</i> | 545 |
| K. Makishima <i>From Sco X-1 to magnetars</i> | 547 |
| N. Rea <i>Neutron stars with huge magnetic storms</i> | 554 |
| Y.E. Nakagawa, K. Makishima, T. Enoto, T. Sakamoto, T. Mihara, M. Sugizaki, K. Yamaoka, K. Hurley, A. Yoshida, P. Gandhi, M. Tashiro, M. Morii <i>Wide-band spectra of magnetar burst and persistent emission</i> | 560 |
| G.L. Israel <i>Monitoring magnetar outbursts</i> | 564 |
| M. Marelli, A. De Luca, P. Caraveo <i>The X-ray properties of the Fermi/LAT pulsars</i> | 568 |
| D. Salvetti, A. De Luca, P. A. Caraveo, M. Marelli <i>Completing the census of Fermi pulsars with X-ray observations</i> | 572 |
| H. Yamaguchi <i>Spectroscopic studies of iron emissions from supernova remnants with Suzaku</i> | 574 |
| Y. Hanabata, M. Sawada, H. Katagiri, A. Bamba, Y. Fukazawa <i>Detailed X-ray study of the supernova remnant W51C with Suzaku</i> | 580 |
| M. C. Weisskopf <i>Monitoring the Crab Nebula with Chandra</i> | 582 |
| D. Dewey <i>SN 1987A at high resolution</i> | 586 |
| K.P. Levenfish, A. M. Bykov, M. Durant, O.Y. Kargaltsev, Y. A. Kropotina, G. G. Pavlov, A. M. Krassilchtchikov, Y. A. Uvarov <i>Finest persistent structures in the Vela PWN</i> | 588 |
| Y. Terada, A. Harayama, T. Hayashi, T. Dogtani, M. Ishida, A. Bamba, K. Makishima, K. Mukai, Y. Urata, A. Nitta, O. de Jager, P. Chadwick, S. Wagner, D. Buckley, M. S. Tashiro, T. Kouzu, S. Koyama, R. Yamazaki <i>X-ray searches for new galactic particle-acceleration sites with Suzaku</i> | 590 |
| E. Costantini, C.P. de Vries <i>Characterizing the chemistry of interstellar dust: the X-ray view</i> | 592 |
| A. Sartori, A. De Luca, D. Salvetti, P. Esposito, A. Tiengo, S. Zane, R. Turolla, F. Pizzolato, R. P. Mignani, P. A. Caraveo, S. Mereghetti, G. F. Bignami <i>A time-variable, phase-dependent emission line in the isolated neutron star RX J0822-4300</i> | 596 |

| | |
|--|-----|
| | 459 |
| A. Różańska, J. Kałużny, M. Różyczka, W. Krzemiński, I.B. Thompson <i>Second neutron star in globular cluster M4</i> | 598 |
| N. Sartore, S. Mereghetti, A. Tiengo, A. De Luca, R. Turolla, F. Haberl <i>Ten years of XMM-Newton observations of RX J1856.5-3754</i> | 600 |
| P. Romano, V. Mangano, L. Ducci, P. Esposito, S. Vercellone, D.N. Burrows, J.A. Kennea, H.A. Krimm, N. Gehrels <i>From hours to years: Swift's revolutionary view of SFXTs</i> | 602 |
| V. Mangano, P. Romano, C. Ceccobello, R. Farinelli <i>IGR J08408–4503 in outburst observed by Swift</i> | 604 |
| V. Mangano, P. Esposito, P. Romano, L. Ducci, S. Vercellone <i>Swift monitoring of IGR J16418–4532</i> | 606 |
| H. Inoue <i>Precessions of accretion disks in close binaries</i> | 608 |
| A. Nebot Gómez-Morán, C. Motch <i>An XMM-Newton view of the Milky Way</i> | 610 |
| Session III: Galactic black holes and ultraluminous X-ray sources | |
| R. Fender <i>Galactic black holes</i> | 612 |
| A. Eckart, K. Mužić, S. Yazici, N. Sabha, B. Shahzamanian, G. Witzel, L. Moser, M. Garcia-Marin, M. Valencia-S., B. Jalali, M. Bremer, C. Straubmeier, C. Rauch, R. Buchholz, D. Kunneriath, J. Moultaqa <i>The broad band spectral properties of SgrA*</i> | 618 |
| T. Enoto and Suzaku Magnetar Team <i>Broadband Suzaku observations of magnetars</i> | 622 |
| D. Radhika, A. Nandi, S. Seetha <i>Disk-Jet connection in outbursting Black Hole sources</i> | 624 |
| N. La Palombara, S. Mereghetti, L. Sidoli, A. Tiengo, P. Esposito <i>Blackbody excess in persistent Be pulsars</i> | 626 |
| J. C. Gladstone <i>The sub-classes of ultraluminous X-ray sources</i> | 629 |
| M. Mapelli <i>X-ray binaries powered by massive stellar black holes</i> | 635 |
| A. D. Sutton, T. P. Roberts, M. J. Middleton <i>Energy dependent variability as a diagnostic of the ultraluminous state: key results</i> | 639 |
| F. Pintore, P. Esposito, S. Motta, L. Zampieri <i>A stellar-mass BH in a transient, low luminosity ULX in M31?</i> | 641 |

| | |
|---|-----|
| A. A. Nucita, F. De Paolis, R. Saxton, A. M. Read, G. Ingrosso, L. Manni <i>The high energy view of NGC 6388: hints for an IMBH?</i> | 643 |
| A. A. Nucita, L. Manni, F. De Paolis, G. Ingrosso, D. Vetrugno <i>The high energy search for IMBHs in close dSph Milky Way satellites</i> | 645 |
| Session IV: X-ray background and active galactic nuclei | |
| R. Gilli <i>The cosmic X-ray background: abundance and evolution of hidden black holes</i> | 647 |
| A. Moretti, S. Vattakunnel, P. Tozzi, R. Salvaterra, P. Severgnini, D. Fugazza, F. Haardt, R. Gilli <i>Spectrum of the unresolved cosmic X ray background</i> | 653 |
| E. Treister, C. M. Urry, K. Schawinski <i>The cosmic history of black hole growth</i> | 655 |
| A. Comastri and the XMM-CDFS Team <i>The ultra-deep XMM survey in the CDFS: X-ray spectroscopy of heavily obscured AGN</i> | 661 |
| A. Del Moro, D. M. Alexander, J. R. Mullaney, E. Daddi, F. E. Bauer, A. Pope <i>New insights on the distant AGN population</i> | 665 |
| L. W. Brenneman on behalf of the NuSTAR AGN Physics Team <i>NuSTAR's View of AGN</i> | 669 |
| A. Merloni, A. Bongiorno <i>Accreting SMBH in the COSMOS field: the connection to their host galaxies</i> | 675 |
| A. Akylas, I. Georgantopoulos, A. Georgakakis, M. Brightman, K. Nandra <i>An online tool for fitting the X-ray background and estimating the contribution of Compton-thick AGN</i> | 679 |
| P. Severgnini, A. Caccianiga, R. Della Ceca <i>The density of local Compton-thick AGN</i> | 683 |
| F. Vito, C. Vignali, R. Gilli, A. Comastri, K. Iwasawa, W. N. Brandt, D. M. Alexander, M. Brusa, B. Lehmer, F. E. Bauer, D. P. Schneider, Y. Q. Xue, B. Luo <i>The $z > 3$ AGN population in the 4 Ms CDFS</i> | 685 |
| M. J. Page, F. J. Carrera, J.A. Stevens, M. Symeonidis, J. D. Vieira and HerMES <i>X-ray and submillimetre observations of star-forming QSOs in the epoch of galaxy formation</i> | 687 |
| M. Cappi, F. Tombesi, M. Giustini <i>Ultra-fast outflows (aka UFOs) from AGNs and QSOs</i> | 691 |
| W. Ishibashi, T. J.-L. Courvoisier <i>The physical origin of the X-ray variability scaling in accreting black holes</i> | 695 |

| | |
|--|-----|
| | 461 |
| A. M. Lohfink, C. S. Reynolds, R. F. Mushotzky, M. A. Nowak <i>Tackling the soft X-ray excess in AGN with variability studies</i> | 699 |
| B. De Marco <i>Soft X-ray lags and the correlation with black hole mass in radio quiet AGN</i> | 703 |
| H. Noda, K. Makishima, K. Nakazawa, S. Yamada <i>Model-independent decomposition of broad-band Suzaku spectra of AGNs into primary continua and secondary components</i> | 707 |
| A. Zoghbi <i>Fe Kα X-ray light echoes in AGN</i> | 711 |
| B. Balmaverde, A. Capetti, P. Grandi, E. Torresi, M. Chiaberge, J. Rodriguez Zaurin, G. R. Tremblay, D. J. Axon, S. A. Baum, G. Giovannini, P. Kharb, F. D. Macchetto, C. P. O'Dea, W. Sparks <i>Extended soft X-ray emission in 3CR radio galaxies at $z < 0.3$: High Excitation and Broad Line Galaxies</i> | 715 |
| R. Fanali, A. Caccianiga, P. Severgnini, R. Della Ceca, M. Dotti, E. Marchese <i>The relationship between X-ray emission and accretion in X-ray selected AGNs</i> | 717 |
| Session V: relativistic jets and gamma-ray bursts | |
| G. Ghisellini <i>High redshift blazars</i> | 719 |
| M. Huarte-Espinosa, E. G. Blackman, A. Hubbard, A. Frank <i>Mass loading and knot formation in AGN jets by stellar winds</i> | 725 |
| A. Janiuk, S. Charzyński, P. Mioduszewski <i>Accretion and outflow in the gamma ray bursts from black hole binary systems</i> | 727 |
| S. Vercellone and The AGILE Team <i>The SWIFT knife: the unique SWIFT long-term monitoring program on 3C 454.3</i> | 729 |
| L. Foschini, E. Angelakis, G. Bonnoli, V. Braitto, A. Caccianiga, L. Fuhrmann, L. Gallo, G. Ghirlanda, G. Ghisellini, D. Grupe, T. Hamilton, S. Kaufmann, S. Komossa, Y. Y. Kovalev, A. Lahteenmaki, M. L. Lister, K. Mannheim, L. Maraschi, S. Mathur, B. M. Peterson, P. Romano, P. Severgnini, G. Tagliaferri, J. Tammi, F. Tavecchio, O. Tibolla, M. Tornikoski, S. Vercellone <i>Basic properties of Narrow-Line Seyfert 1 Galaxies with relativistic jets</i> | 731 |
| B. Kapanadze, S. Kapanadze <i>Swift/XRT observations of high-energy selected BL Lacertae source PKS 2155-304</i> | 733 |
| M. Ohno, Y. Hanabata, T. Kawano, K. Takaki, R. Nakamura, Y. Tanaka, Y. Fukazawa, H. Ueno, M. Tashiro, Y. Terada, W. Iwakiri, T. Yasuda, M. Asahina, S. Kobayashi, A. Sakamoto, Y. Ishida, S. Sugimoto, M. Akiyama, N. Ohmori, M. Yamauchi, Y. E. Nakagawa, S. Sugita, K. Yamaoka, M. Kokubun, T. Takahashi, Y. Urata, P. Tssai, K. Nakazawa, K. Makishima and the Suzaku-WAM team <i>All-sky observations by Suzaku wide-band all-sky monitor</i> | 735 |

Session VI: galaxies and clusters of galaxies

- E. Pointecouteau
The Sunyaev-Zeldovich effect 737
- F. Gastaldello, L. Di Gesu, S. Ghizzardi, S. Giacintucci, M. Girardi, E. Roediger, M. Rossetti
Sloshing cold fronts in the IC1860 group 743
- P. Tozzi
A scientific case for future X-ray astronomy: galaxy clusters at high redshifts 747
- Y. Wang
Central gas entropy excess in galaxy groups and galaxy clusters 752
- Y. Shimoda, M. Kawaharada, K. Sato, T. Ohashi, Y. Ishisaki, I. Mitsuishi, H. Akamatsu, M. S. Tashiro
Metal abundances in the ICM associated with a medium-redshift cluster of galaxies MS 1512.4+3647 observed with Suzaku 756
- I. Mitsuishi, N. Y. Yamasaki, Y. Takei
X-ray properties of the starburst-driven outflow in NGC 253 758
- A. Negri, S. Pellegrini, L. Ciotti
Disk dynamics and the X-ray emission of S0 and flat early-type galaxies 762
- S. Pellegrini, J. Wang, G. Fabbiano, D-W. Kim, N.J. Brassington, J.S. Gallagher, G. Trinchieri, A. Zezas
AGN activity and the extended hot ISM in the compact radio elliptical NGC 4278 764
- S. Posacki, S. Pellegrini, L. Ciotti
The effects of flattening and rotation on the temperature of the X-ray halos of elliptical galaxies 766
- P. Tzanavaris, T. Fragos, M. Tremmel, L. Jenkins, A. Zezas, B. D. Lehmer, A. Hornschemeier, V. Kalogera, A. Ptak, A. R. Basu-Zych
XSINGS: probing X-ray binaries in galaxies 768

Session VII: future missions and technological concepts

- P. Predehl on behalf of the eROSITA Team
eROSITA 770
- T. Takahashi
The ASTRO-H Mission 776
- L. Stella (on behalf of the LOFT Team)
LOFT: the Large Observatory For x-ray Timing 782
- P. Romano, P. Esposito, E. Bozzo, C. Ferrigno, V. Mangano
Supergiant Fast X-ray Transients with LOFT 788

- S. S. Murray, S. Borgani, S. Campana, O. Citterio, W. Forman, R. Giacconi, R. Gilli, M. Paolillo, G. Pareschi, A. Ptak, P. Rosati, P. Tozzi, M. Weisskopf, and the WFXT Team
Wide Field X-ray Telescope (WFXT) 790
- R. Petre and the NASA X-ray Mission Concepts Study Team
AXSIO and the NASA X-ray Mission Concepts Study 798
- A. Vikhlinin
SMART-X, "Square Meter, Arcsecond Resolution Telescope for X-rays" 805
- P. Gorenstein
High angular resolution X-ray astronomy in the next 50 years 811
- M. M. Civitani, S. Campana, O. Citterio, P. Conconi, G. Pareschi, G. Tagliaferri, G. Parodi
High angular resolution optics for the next generation of wide field X-ray telescopes beyond e-Rosita 817
- L. Proserpio, S. Basso, M. Civitani, O. Citterio, P. Conconi, M. Ghigo, G. Pareschi, B. Salmaso, D. Spiga, G. Tagliaferri
Segmented glass optics for next generation X-ray telescopes 819
- M. Gubarev, B. Ramsey, S.O'Dell, R. Elsner, K. Kilaru, C. Atkins, D. Swartz, J. Gaskin and M. Weisskopf
Flight programs and X-ray optics development at MSFC 821
- E. Virgili, F. Frontera, V. Liccardo, V. Valsan on behalf of the LAUE collaboration
A lens for hard X-/soft γ -rays: the LAUE Project 823
- D. Götz and J. Osborne on behalf of the MXT Instrument Science Team
MXT: a light X-ray telescope for X-Gamma-Ray Burst afterglow observations 825
- M. Jackson, on behalf of the PoGOLite collaboration
Balloon-borne hard X-ray astronomy with PoGOLite: Opening a new window on the universe 827
- M. Barbera, A. Collura, F. Gastaldello, U. Lo Cicero, N. La Palombara, A. Tiengo, S. Varisco
Investigation on the status of the XMM-Newton EPIC T and M filters after more than 10 years of operation 829
- A. Paizis, S. Mereghetti, D. Götz, M. Fiorini, M. Gaber, R. Regni Ponzeveroni, L. Sidoli, S. Vercellone
GOLIA: an INTEGRAL archive @INAF-IASF Milano 831
- G. Branduardi-Raymont, S. F. Sembay, J. P. Eastwood, D. G. Sibeck, J. A. Carter, A. M. Read and the AXIOM Collaboration
X-ray imaging of the Earth's magnetosphere 833
- C. M. Urry
Planning for future X-ray astronomy missions 835